### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-20-83 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

#### ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Isuzu Motors Limited 1990 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems
LSZ0235EAA9	3.8	(235)	Engine Modification Diesel Injection - Direct Turbocharger
LSZ0353EAB7	5.8	(353)	Engine Modification Diesel Injection - Direct Turbocharger
LSZ0396DAB3	6.5	(396)	Engine Modification Diesel Injection - Direct
LSZ0396FAB9	6.5	(396)	Engine Modification Diesel Injection - Direct Turbocharger Intercooler
LSZ0513EABX	8.4	(513)	Engine Modification Diesel Injection - Direct Turbocharger

Engine models and codes are listed on attachments.

The following are the certification emission standards for these engine families:

Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
1.3	15.5	6.0	0.6

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
LSZ0235EAA9	0.6	1.5	5.1	0.54
LSZ0353EAB7	0.6	1.6	5.1	0.50
LSZ0396DAB3	0.8	3.4	5.4	0.54
LSZ0396FA89	0.4	2.3	4.6	0.49
LSZ0513EABX	1.2	2.0	5.5	0.44

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the provisions of the Board's emission control system warranty regulations (California Health and Safety Code, Section 43205.5).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this \_

27 day of June, 1989.

K.D. Drachand, Chief Mobile Source Division

## E.O. # A-20.83

### 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

,			Page
Manufacturer ISUZU MOTORS	LIMITED	Engine Family	LSZ0235EAA9, LSZ0353EAB7, LSZ0396DAB3, LSZ0396FAB9, LSZ0513EAB
Evaporative Family NA		Engine Type	L4 , L6 , L6 , L6
		Liters (CID)	<b>3.856(235)</b> , 5.785(353) , 6.494(396) , 6.494(396) , 8.407(513)
		,	
ABBREVIATIONS			
Ignition System	Exhaust Emis	ssions Control S	ystem Special Features
CA-Centrifugal Advance  ECU-Electronic Control Unit  EI-Electronic Ignition  ESAC-Electronic Spark Advance  Control  VA-Vacuum Advance  VR-Vacuum Retard  Fuel System  CFI, EPFI, MPFI, SFI,  DID, DIP, HOS, OS  AIP-Air Inj  AIV-Air Inj  EGR-Exhaust  EGR-Exhaust  EGR-Exhaust  EIC-Electronic Spark Advance  EM-Engine M  SPL-Smoke P  Throttle  TOC-Trap Ox  TOP-Trap Ox  DBC-Dual Be  OC-Oxidatio  WUCC-Warm-U  WUTWC-Warm-U  OS-Oxygen S		off Limiter or Delay Idizer, Continual Idizer, Periodical Idizer, Peri	Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection I SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection-
VEHICLE MODELS:			
	•		
Engine: Front Mid.	· · · · · ·	Rear	
Drive : FWD RWD	<del></del>	4WD Full Time	4WD Part Time

$\mathbf{C}$

E.O.	#	<u>A·</u>	20	•	8	3
Page			2			

## 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

FHDD

Engine Mfr. Part Number Part Number at RPM (lbs/Hr)  When the state of	Manufactu	irer ISU	ZU MOTORS LIMITE	Eng	gine Family	LSZ0235	EAA9
Fuel Injection Pump Injector Maximum Fuel Rate Rated Torque mm³/stroke Model Part Number Part Number at RPM (lbs/Hr)  But Part Number Part Number at RPM (lbs/Hr)  But Pump Mfr. Rated HP Rate mm³/stroke (lbs/Hr)  But Pump Mfr. Rated HP Rate mm³/stroke (lbs/Hr)  But Pump Maximum Rated Fuel Rate mm³/stroke (lbs/Hr)  But Pump Maximum Rated Fuel Rate mm³/stroke (lbs/Hr)  But Pump Maximum Rated Torque at RPM (lbs/Hr)  But Pump Maximum Rated Torque mm³/stroke (lbs/Hr)	Liter (C)	(D)	3.856(235)		Eng. Type	L4	
Engine Mfr. Part Number Part Number Rated HP at RPM Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)  BDIT DIESEL KIKI DIESEL KIKI CO., LTD. S944551022 1153001420  Maximum Rated Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)  Maximum Rated Torque at RPM (lbs/Hr)  Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)  70.0 mm <sup>3</sup> /stroke (46.7 lbs/Hr)  (34.2 lbs/Hr)	Emission	Control Sys. ar	nd (Special Feat	ures) EM	(DID, TC)		
Injection   Pump   Injector   Maximum   Fuel Rate   Rated   Torque   mm³/stroke   (1bs/Hr)   at RPM   (1bs/Hr)	-					· · · · · · · · · · · · · · · · · · ·	
CO., LTD. CO., LTD. 3000 RPM mm <sup>3</sup> /stroke 2200 RPM mm <sup>3</sup> /strok (46.7 lbs/Hr) (34.2 lbs/		Injection Pump Mfr.	Mfr.	Rated HP	mm³/stroke	Rated Torque	Fuel Rate mm³/stroke (lbs/Hr)
	4BD1T	CO., LTD.	CO., LTD.		mm³/stroke		70.0 mm <sup>3</sup> /stroke (34.2 lbs/Hr
			1153001420				
				•	·		·
			·				
						-	
						í	·
						; !	
					·		•
				·		.	
	Ì						

Date of Issue \_\_\_\_\_ Revisions:

E.O.	ŧ	A.20.	83
Page		3	

#### 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

MHDD

	ZU MOTORS LIMITE	D En	gine Family	LSZ0353	EAB7
r (CID) 5.785(353)			Eng. Type	L6	
Control Sys. a	nd (Special Feat	ures) <u>EM</u>	(DID, TC)		
Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (1bs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (1bs/Hr)
DIESEL KIKI	DIESEL KIKI	165 HP	68.1	335 ft-1b	68.1 mm <sup>3</sup> /stroke
1156022281 1156022741	1153002120	Jood RIII	(68.1 1bs/Hr)	1900 RPM	(43.1 lbs/Hr)
	·				
·				:	
	,·				
·					
	Fuel Injection Pump Mfr. Part Number  DIESEL KIKI CO., LTD.	Fuel Injection Pump Mfr. Part Number  DIESEL KIKI CO., LTD.  1156022281  Injector Mfr. Part Number  Lnjector Mfr. Part Number  Lnjector Mfr. Part Number  Injector Mfr. Part Number	Fuel Injection Pump Mfr. Part Number  DIESEL KIKI CO., LTD.  1156022281  Fuel Injector Maximum Rated HP at RPM  Maximum Rated HP at RPM  165 HP 3000 RPM	Fuel Injection Pump Mfr. Part Number  DIESEL KIKI CO., LTD.  Co., LTD.  Control Sys. and (Special Features)  EM (DID, TC)  Maximum Rated HP mm³/stroke (1bs/Hr)  68.1 mm³/stroke (68.1 lbs/Hr)	Fuel Injection Pump Mfr. Part Number  DIESEL KIKI CO., LTD.  Injector Maximum Rated HP Rated HP at RPM  Maximum Rated HP (lbs/Hr)  Maximum Rated Torque at RPM  68.1 335 ft-1b 1900 RPM  (68.1 lbs/Hr)  1156022281

030186

E.O.	#	A-20-83
Page		4

### $19\underline{90}$ AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

LHDD

Manufacturer ISUZU MOTORS LIMITED			D Eng	Engine Family LSZ0396DAB3			
Liter (CI	ID)	6.494(396)		Eng. Type	L6		
Emission	Emission Control Sys. and (Special Featur			(DID)			
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (1bs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	
6BG1	DIESEL KIKI CO., LTD. 1156024821 1156024831	DIESEL KIKI CO., LTD. 1153002120	150 HP 3000 RPM	62.3 mm <sup>3</sup> /stroke (62.3 lbs/Hr)	281 ft-1b 1800 RPM	59.5 mm <sup>3</sup> /stroke (35.8 lbs/Hr)	
6BG1N	DIESEL KIKI CO., LTD. 1156026290	DIESEL KIKI CO., LTD. 1153002120	140 HP 2700 RPM	65.9 mm <sup>3</sup> /stroke (59.4 lbs/Hr)	281 ft-1b 1800 RPM	59.5 mm <sup>3</sup> /stroke (35.8 lbs/Hr)	

Date of Issue \_\_\_\_\_ Revisions: Engine model 6BGIN added by running

change RC90H01 on 9-28-89.

E.O.	#	A-20.83
Page		5

# 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

MHDD

Manufacturer ISUZU Liter (CID) 6.		ZU MOTORS LIMITE	ED En	LS20396FAB9		
				Eng. Type	L6	
	Control Sys. ar					
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)
6BG1X	DIESEL KIKI CO., LTD. 1156022153	DIESEL KIKI CO., LTD. 1153002190	185 HP 2800 RPM	81.6 mm <sup>3</sup> /stroke (76.3 lbs/Hr)	398 ft-1b 1700 RPM	79.7 mm <sup>3</sup> /stroke (45.2 lbs/Hr)
·						

Revisions:

030186

Date of Issue

E.O.	#	A.50.83
Page		6

#### 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufact	urer ISU	ZU MOTORS LIMITE	gine Family	LSZ0513EABX		
Liter (C	Liter (CID) 8.407(513)			Eng. Type	L6	
Emission	Control Sys. an	nd (Special Feat	ures) <u>EM</u> (	(DID, TC)		
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)
6SA1T	DIESEL KIKI CO., LTD.	DIESEL KIKI CO., LTD.	220 HP 2500 RPM	101.3 mm³/stroke	542 ft-1b 1700 RPM	109.6 mm <sup>3</sup> /stroke
	1156026230	1153002510		(84.4 lbs/Hr)	I	(62.1 1bs/Hr)
			٠			
• •						
		,-		·		
-						
			•			
			į			
	,					
	·					
		·				
			·			·

Date of Issue

Revisions: